

# 1420 Symphony Series Square Rose Door Handles



Lockwood Symphony Series door furniture is manufactured from high quality solid brass material. The comprehensive lever range matched with concealed screw fixings by way of threaded rose trims, provides a stylish look for the most elegant interiors.

The accessory range includes cylinder escutcheons, emergency turnknobs and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory in Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

## Product Details

<b>Dimensions</b>	58mm x 58mm x 11.6mm.
<b>Handing</b>	A removable stop screw allows all symmetrically designed levers (e.g. Cadenza) to be handed on site. Levers of asymmetrical design (e.g. Veloce) cannot be reversed. Specify left or right handed when ordering.
<b>Materials</b>	All Lockwood roses and levers contained in the 1420 series are of solid brass construction.
<b>Fixing</b>	Fully concealed on both sides.
<b>Door Thickness</b>	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
<b>Standard Finishes</b>	Satin Chrome Brushed (SC)
<b>Non-Standard Finishes</b>	Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)
<b>Special Finishes</b>	Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB)
<b>Privacy</b>	Privacy function for Symphony Square Rose Furniture is achieved using the 3690 privacy adaptor and standard Symphony 1421 interior rose.

## Standards and Compliance



Successfully tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets.

**S3**

High security for maximum protection (AS4145.2:2008).

**D8**

Tested to AS 4145.2 2008 for Durability – Passing D8 500,000 cycles. Suitable for commercial applications.



Tested to AS 4145.2 2008 for Neutral Salt Spray – With SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications.



Disabled Accessible. AS1428.1 Compliant Levers and Turnknobs as indicated.




Australian Made

# 1420 Symphony Series Square Rose Door Handles

The Symphony Series square rose furniture features a 58mm solid brass rose with horizontal screw fixings, concealed on both sides by a grub screw fixed, square rose trim.


**Supplied with:**

- 2 x M4 x 65mm Stainless Steel Screws (SP1220-119)
- 1 x Instructions (1220-221)




## AS1428.1 Compliant Levers


Overture - Lever 59	
<b>Length</b>	121mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	38mm



Lever 70	
<b>Length</b>	121mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	37mm




Ving - Lever 74	
<b>Length</b>	120mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	45mm




# 1420 Symphony Series Square Rose Door Handles

## AS1428.1 Compliant Levers


Lever 76	<b>NEW PRODUCT</b>
<b>Length</b>	125mm
<b>Projection</b>	50mm
<b>Finger clearance</b>	42mm




Lever 77	<b>NEW PRODUCT</b>
<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	40.5mm



Lever 80	
<b>Length</b>	123mm
<b>Projection</b>	49mm
<b>Finger clearance</b>	40mm




Lever 85	<b>NEW PRODUCT</b>
<b>Length</b>	125.5mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	43.5mm




# 1420 Symphony Series Square Rose Door Handles

## AS1428.1 Compliant Levers

Lever 90	
<b>Length</b>	118.5mm
<b>Projection</b>	52mm
<b>Finger clearance</b>	45mm




Lever 92	
<b>Length</b>	118.5mm
<b>Projection</b>	52mm
<b>Finger clearance</b>	45mm




## Standard Knobs and Levers

20 Knob	
<b>Diameter</b>	50mm
<b>Projection</b>	73mm



Not compatible with 1220 Symphony internal rose.

Lever 32	
<b>Length</b>	107.5mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	35.5mm




# 1420 Symphony Series Square Rose Door Handles

## Standard Knobs and Levers

### Intermezzo - Lever 41


<b>Length</b>	130mm
<b>Projection</b>	61.5mm
<b>Finger clearance</b>	40.5mm

\* Lever is an asymmetrical design and therefore must be handed.




### Arpeggio - Lever 44

<b>Length</b>	125mm
<b>Projection</b>	59.5mm
<b>Finger clearance</b>	42mm



### Sonata - Lever 45


<b>Length</b>	117.5mm
<b>Projection</b>	57mm
<b>Finger clearance</b>	40mm



### Veloce - Lever 53

<b>Length</b>	123mm
<b>Projection</b>	73.5mm
<b>Finger clearance</b>	45mm

\*Lever is an asymmetrical design and therefore must be handed.




# 1420 Symphony Series Square Rose Door Handles

## Standard Knobs and Levers


### Lever 55

<b>Length</b>	124mm
<b>Projection</b>	62.5mm
<b>Finger clearance</b>	40.3mm




### Lever 55A

<b>Length</b>	115mm
<b>Projection</b>	62.5mm
<b>Finger clearance</b>	40.3mm




### Lever 60

<b>Length</b>	121mm
<b>Projection</b>	65mm
<b>Finger clearance</b>	54.2mm



### Lever 61

<b>Length</b>	120mm
<b>Projection</b>	52.5mm
<b>Finger clearance</b>	25.5mm




\*Lever is an asymmetrical design and therefore must be handed.


# 1420 Symphony Series Square Rose Door Handles

## Standard Knobs and Levers


Lever 65	<b>NEW PRODUCT</b>
<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	43.5mm




Lever 66	<b>NEW PRODUCT</b>
<b>Length</b>	125mm
<b>Projection</b>	50mm
<b>Finger clearance</b>	42mm



Lever 67	<b>NEW PRODUCT</b>
<b>Length</b>	127mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40.5mm



Tempo - Lever 71	
<b>Length</b>	118mm
<b>Projection</b>	62mm
<b>Finger clearance</b>	44.5mm




# 1420 Symphony Series Square Rose Door Handles

## Standard Knobs and Levers


### Cadenza - Lever 78

<b>Length</b>	118mm
<b>Projection</b>	52mm
<b>Finger clearance</b>	30mm




### Tenor - Lever 79

<b>Length</b>	124mm
<b>Projection</b>	50.5mm
<b>Finger clearance</b>	40.5mm




### Lever 79B

<b>Length</b>	118mm
<b>Projection</b>	50.5mm
<b>Finger clearance</b>	40.5mm



### Lever 83

<b>Length</b>	112mm
<b>Projection</b>	62mm
<b>Finger clearance</b>	33.5mm




# 1420 Symphony Series Square Rose Door Handles

## Standard Knobs and Levers

### Chorus Line - Lever 97

<b>Length</b>	120mm
<b>Projection</b>	50.5mm
<b>Finger clearance</b>	34.6mm



# 1420 Symphony Through Fix Escutcheon Kits

Designed for use with **Selector** Series Mortice Locks **only**, supplied with two M4 64mm stainless screws for through fix installation.


## Double Oval Cylinder Escutcheons Kit

**Part Number** 1426/6


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Oval Cylinder Escutcheon



Outside



Inside


## Oval Cylinder and Turnknob Escutcheons Kit

**Part Number** 1426/7N


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Turnknob Escutcheon



Outside



Inside

# 1420 Symphony Through Fix Escutcheon Kits

## Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit

**Part Number** 1428/9P

### Escutcheons supplied


**Outside:** Privacy Indicating Emergency Turn Escutcheon

**Inside:** Privacy Indicating Disabled Accessible Turnknob Escutcheon


**Note:** Kits with Disabled Accessible Turnknobs require handing.

Handing is based on the door, same as handing of a full set of rose door lever handles.


A left-handed escutcheon kit suits a left-handed door and will be supplied with a right-handed disabled accessible turnknob, as this turnknob is intended to be used on the interior side of the door.



Outside



Inside



**Note:** Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

# 1420 Symphony Cylinder & Turn Escutcheons

Designed for use with **Synergy** Series Mortice Locks, with two horizontal fixing holes, concealed by a grub screw fixed, square rose trim.


## Oval Cylinder Escutcheon

**Part Number** 1426/I

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)

(Replaces 1426)



## Turnknob Escutcheon

**Part Number** 1427/IN

### Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP12227-319)

1 x Instructions (1220-321)

(Replaces 1427)



## Privacy Indicating Turnknob Escutcheon

**Part Number** 1427/IP

### Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP12227-319)

1 x Instructions (1220-321)

(Replaces 1427P)



## Emergency Turn Escutcheon


**Part Number** 1428/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Emergency Tail Bar (SP1227-119)

(Replaces 1428P)



# 1420 Symphony Cylinder & Turn Escutcheons


## Privacy Indicating Emergency Turn Escutcheon

**Part Number** 1428/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1428P)



## Disabled Accessible Turnknob


**Part Number** 1429/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Flat Tail Bar & Split Pin (SP1227-319)  
1 x Instructions (1220-321)

(Replaces 1427DT)

**Note:** Disabled Accessible Turnknob require handing.




## Disabled Accessible Privacy Indicating Turnknob

**Part Number** 1429/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Flat Tail Bar & Split Pin (SP1227-319)  
1 x Instructions (1220-321)

**Note:** Disabled Accessible Turnknob require handing.



# 1420 Symphony Privacy Adaptor

## Privacy Adaptor 3690

**Part Number** 3690

**Dimensions** 52mm x 11.6mm

### Supplied with

2 x M4 x 77mm Stainless Steel Screws (SP0655MBK)

1 x Spindle 7.6mm x 90mm

1 x Instructions (3890-121)

**Finishes** Satin Chrome (SC)  
Chrome Plate (CP)  
Powder Coat (PC)  
Not available in  
brass finishes

The 3690 Privacy Adaptor has a patented built in clutching mechanism which allows the engaged mode to be overridden by use of specified force applied in a single downward action on the lever. This will allow entry in an emergency situation without the use of any type of tool.

The privacy adaptor can be installed onto any existing Lockwood lever set and standard 5260 Tubular Latch.

**Note:** Designed for use with Lockwood Mortice Locks and 6260 Tubular Privacy Bolt.



# 1420 Symphony Series Ordering Procedure

## Ordering Procedure

Sample part number 1420/1421/41LCP is made up of several sections. Choose your product by selecting an option from each section.

## Half Set

**Note:** Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1420	41	L	CP

## Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1420	1421	41	L	CP

Exterior Rose Type	
Exterior Rose	1420
Exterior Blank Rose	1422
Exterior Fixed Rose	1424

Interior Rose Type	
Interior Rose	1421
Interior Blank Rose	1423
Interior Fixed Rose	1425

Lever/Knob Type		
20	32	44
45	55	55A
60	65	66
67	71	78
79	79B	83
97		

AS1428.1 Compliant Levers		
59	76	85*
70	77	90
74	80	92

Handed Levers		
41	53	61

\* Lever 85 is not available in CP

Handing	
Right Handed	R
Left Handed	L

NB: Omit if non-handed

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC*

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

\* For the powdercoat color range, please see the Dulux Powdercoat Range at the end of the plate furniture catalogue section.

# 1420 Symphony Series Ordering Procedure

## Selector Series Escutcheon Kits

Designed for use with Selector Mortice Locks only, all escutcheon kits are supplied with two M4 65mm stainless steel screws to allow for through fix installation.

Sample part number 1426/9NLSC is made up of several sections. The description of this part number is a left-handed oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Function	Privacy Indicator	Handing	Finish
1426	9	N	L	SC

Exterior Function	
Oval Cylinder	1426
Emergency Turn	1428
<b>Notes:</b>	
Order 1426/I if only one oval cylinder escutcheon is required. Wood screws will be supplied for surface mounting.	
1428/6 Kit is not applicable.	

Interior Function	
Oval Cylinder	6
Oval Turnknob	7
Disabled Accessible Turnknob	9

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P
<b>Note:</b>	
Privacy indicator applies for both exterior and interior functions.	

Handing	
Right Handed	R
Left Handed	L
<b>Note:</b>	
Handing is based on the door, same as handing of a full set of rose door lever handles.	
The sample part number shown above suits a left-handed door. This kit will be supplied with a right-handed disabled accessible turnknob, as the turnknob is intended to be used on the interior side of the door.	
Only Kits with Disabled Accessible Turnknobs require handing.	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC*

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

\* For the powdercoat color range, please see the Dulux Powdercoat Range at the end of the plate furniture catalogue section.

# 1420 Symphony Series Ordering Procedure

## Synergy Series Escutcheons

Designed for use with Synergy Series Mortice Locks. All escutcheons are supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Handing	Finish
1429	I	P	L	SC

Escutcheon Type	
Oval Cylinder	1426
Oval Turnknob	1427
Emergency Turn	1428
Disabled Accessible Turnknob	1429*

**Note:**

\*Cannot be used with Selector Mortice Locks, please order escutcheon kits if needed.

Fixing
Wood Screw
Surface Fixing I

Privacy Indicator
Oval Cylinder -
Non Indicating N
Privacy Indicating P

Handing	
Left Handed L	
Right Hand R	
NB: Only Disabled Accessible Turnknobs require handing	

Finish
Satin Chrome Brushed SC
Chrome Plate CP
Polished Brass PB
Polyester Powdercoat PC*

Special Finishes
Polished Brass Unlacquered BU
Satin Brass SB
Architectural Bronze AZ
Architectural Bronze Unlacquered AU
Antique Copper AC
Oil Rubbed Bronze ORB

\*For the powdercoat color range, please see the Dulux Powdercoat Range at the end of the plate furniture catalogue section.